

Company Profile



Your Safety Our Priority

Fire Fighting Equipment
Fire & Smoke Curtains
Asset Compliance Platform
Elevator

PROMEC is committed to provide the most professional service and support in the fire safety field and elevators field to its clients.

POWERED BY
 **ASSETPOOL**



PROMEC



Fire Safety Equipment

STÖBICH®

- o Online request
- o Site survey
- o Service & Support
- o Real-Time report
- o Geo-Location Services
- o **Asset Maintenance**
- o Work Offline anywhere

- o Fire Extinguisher
- o Fire Pumps
- o Fire Alarm
- o Sprinkler
- o Wet Chemical
- o FM200
- o Cabinets and hoses
- o Accessories
- o Training

- o More than 40 years of experience of developing, producing and installing of passive fire protection solutions
- o **World Market Leader**
- o Premium Textile Curtain
- o Reliable Protection
- o Fire Protection Closers
- o 134 Patents
- o Commitment to Innovation
- o Customised Solutions

Elevator

- Certified Global Elevators
- Wide Variety Options
- After-sales Service
- Machinery & Spare Parts
- Elevator Installation Services
- Maintenance Packages Services

- Refurbishment & Upgrade Services
- Towers & General Contracting
- Multiple Solutions Study
- Qualified Team Work
- Price Variation
- Authorized Exclusive Distributor

index

Introduction	02
Mission and Vision	03
Fire Fighting Equipment	
Fire Extinguishers	05
Fire Pumps	07
Foam Tank & Equipment	07
Cabinets & Hoses	08
Fire Hydrants - Fire Rated Doors	08
Fire Alarm & Notification System	09
Disinfection Chamber	10
Fire Fighting Trucks	10
Accessories	10
Fire & Smoke Curtains	
Stoebich Introduction	13
Product Matrix & Compliances	14
Fire Curtains	15
Smoke Curtains	17
Conveyor System Closures	19
Procedures	22
Maintenance	
Assetpool - Asset management platform	24
Unique asset onboarding	25
Workflow	26
Elevators	27
Passenger elevators	28
Bed elevators	29
Service elevators	30
Panoramic elevators	31

Home elevators	32
Dumbwaiters	33
Moving Walks	34
Escalators	35
Elevators Doors	36
Automatic Doors	36
Manual Doors	38
Elevator Cabins	39
Elevator Accessories	46
Floors	46
Ceiling	47
Handrails	49
Decorations Models	51
Buttons & Display	52
Spare Parts	53
Install. & Maintenance(Pricing)	58
Tower Construction	61
Projects References	62
	63

INTRODUCTION

Established in 1998, PROMEC is committed to provide the utmost professional service and support in the fire safety field to its clients.

Relying on its market expertise and know-how, the company has been recognized for its business ethics and standards. Having a professional team of technicians on board who are always ready to fulfill clients' requirements, makes it ahead of many in its market.

We, at PROMEC, continuously seek to develop and train our team in order to maintain our professional level of service and to be up to date with the market standards.

We specialize in the supply, Installation, testing, and commissioning of a wide variety of fire safety equipment, starting with signages, Elevators and ending up with the complex fire & smoke curtains solutions

Proudly, we are the sole distributor in KSA for the prestigious German brand, Stobich: the global market leader in the fire and smoke business for the past 35 years.

Since our main aim is to provide the top-notch products and services available in the field, we have partnered with Assetpool, the most reliable asset management platform. Many are the features that help our clients to check on their assets; for example, by simply using the geolocation feature, they can have an immediate paperless report which aims at providing an efficient evaluation in so little a time.



Your Safety, Our Priority

Mission & Vision

We look forward to assisting the civil defense in protecting people's lives and properties by providing trustworthy services and products to achieve this goal

Added value

While operating in a very competitive environment, our edge is in the unique asset compliance service offering. While none of the competitor companies is offering this advanced type of monitoring and visibility asset, we do so with great professionalism and credibility

FIRE FIGHTING EQUIPMENT



FIRE EXTINGUISHERS

Portable & Mobile



Powder

Separating the fuel from the oxygen or by removing the heat element of the fire



CO₂

displacing oxygen, or taking away the oxygen element of the fire triangle.



Foam

Extinguish a flammable or combustible liquid fire by the combined mechanisms



Water

absorb massive amounts of heat as it converts to water vapor



Halotron

Non-conductive gaseous agent, lower environmental impact and leaves no residue



Wet chemical

For use on fires involving combustible cooking media such as burning oil and fat.

FIRE EXTINGUISHERS

Automatic



Powder

When reaching 68°C Dry powder is ejected automatically through sprinkler



Foam

Equipped with sensing element, for operation temperature of 68C



Automatic
Clean Agent

Make use of an inert gas or chemical that is stored in a container and discharged when a fire is detected



FM200

Removes the heat or free radicals, which interferes with the fire triangle's chemical reaction to extinguish the fire.



Kitchen
Hood System

Releases wet chemical designed to put out cooking fires. React with grease to create a harmless substance that can't re-ignite.



Thermo
Act System

Automatic and immediate fire suppression
Advance fire fighting system

FIRE EXTINGUISHERS

Automatic



NOVEC 123C

Clean agent can put out fires safely without damaging electronic equipment or machinery.



CO₂
System

Extremely versatile and effective on a wide range of flammable and combustible materials



FOAM
System

Foam systems are primarily water systems with either air or nitrogen injected into the system

FIRE FIGHTING EQUIPMENT

Fire Pumps – Foam Tank & Foam Equipment



Fire Pump

Main Suction Diesel Pump activated by a Diesel Engine and Jockey



Jockey Pump Controller

Small motor operated by pumps with main fire pumps to equalize for small leaks in the fire protection system



Foam Tank & Foam Equipment

Used with standard and traditional low to medium expansion foam making equipments with all kind of water

FIRE FIGHTING EQUIPMENT

Cabinets & Hoses



Fire Cabinet

High quality and high performance in fighting fire



Fire cabinet with extinguisher

Stainless steel cabinets can be wall mounted, equipped with fire extinguisher



Fire Extinguisher Cabinet

Made of stainless steel sheet with all around folded edges. Different design and finishes



Foam Cabinets

High performance to fight class A and B fire immediately

Fire Hydrants - Fire Rated Doors



Fire Hydrants

Weatherproof, as per client request it can be equipped with hoses, hose nozzles, hydrant wrenches, spanner wrenches, fire axes, and flashing light, torch...





Fire Rated Doors

Made with galvanized steel or in stainless steel. Used in all kind of wall (dry and in construction)


FIRE FIGHTING EQUIPMENT

Fire Alarm & Notification System



FIGHTER FIGHTING EQUIPMENT

Disinfection Chamber & Fire Fighting Trucks



Disinfection
Chamber



Fire Fighting
Trucks

Accessories



Pipes and
Fittings



Valves



Automatic
Sprinkler



Signs &
emergency light


STÖBICH®

Innovation For Your Protection

FIRE & SMOKE CURTAINS

The company Stöbich Brandschutz GmbH has been the technology and world market leader in preventive building-related fire protection for more than 40 years, and manufactures standard designs and customized solutions for excellent architectural and industrial projects. All products are made in Germany. Export sales total approx. 45 %. With 11 of its own sales companies and selected partners, the company operates in more than 50 countries across the globe.

Target Groups

Target group: Architects	Target group: General Contractors	Target group: Operator	Target group: Fire Officer
			
Requirements ● No limits with regards to the design ● Invisible fire protection	Requirements ● Reduction of structural Stability requirements ● Easy assembly to reduce the installation time	Requirements ● Small Space requirements ● Low operating costs	Requirements ● Support for individual fire protection concepts




FIRE & SMOKE CURTAINS

Product	Fabric	Protection Target		Classification EN	Max. dimensions CE [mm]	Classification UL	Max. dim. UL [mm]	Technical standard dimensions
D DH								
Supercoil	Protex 600	60		12101-1	50.000 x 6.000	UL 1784 (Spec ID: 32762)	∞	50.000 x 9.000
	Protex 1100 A2	120	120	12101-1	50.000 x 12.000	UL 1784 (Spec ID: 32762)	∞	50.000 x 9.000
Moducoil	Modutex 600	120		12101-1	50.000 x 6.000	UL 1784 (Spec ID: 34179)	∞	∞ x 7.000
Stripecoil	Modutex 600	120	30	12101-1	50.000 x 3.500	-	-	15.000 x 3.500
Smokeshield-S	Ecotex 1100 A2	120	120	12101-1	120.000 x 6.000	UL 1784 (Spec ID: 29920)	∞	50.000 x 6.000
Static Smoke Curtain	Modutex 600	120		12101-1	50.000 x 6.000	-	-	∞
	Protex 1100 A2	120	120	12101-1	50.000 x 12.000	-	-	∞


Product	Fabric	Protection Target		Classification EN	Max. dimensions CE [mm]	Classification UL	Max. dimensions UL [mm]	Technical standard dimensions	
E W I									
Fibershield-P	Protex 1100 A2	120	30		EN 13501-2	11.000 x 8.800	UL10(b); UL10(c); UL10(d) (Spec ID: 29920)	10.000 x 8.000	22.000 x 9.000
	Heliotex EW90	90	90		EN 13501-2	11.000 x 3.300			12.000 x 6.000
	Heliotex EW120	120	120		EN 13501-2	11.000 x 3.300			12.000 x 6.000
Fibershield-E	Ecotex 1100 A2	90	20		EN 13501-2	3.700 x 3.300	UL10(b); UL10(c); UL10(d) (Spec ID: 29920)	2.480 x 2.700	7.000 x 5.000 / 6.000 x 8.000
	Heliotex EW90	90	90						6.000 x 6.000
Fibershield-I	Stratex 3	30	30	130 / 130	EN 13501-2	7.315 x 4.950			7.315 x 4.950
	Stratex 6	60	60	145 / 160	EN 13501-2	E1, 4.000 x 4.000 E2, 4.400 x 4.400			4.400 x 4.400
	Stratex 9	90	90	145 / 190	EN 13501-2	6.000 x 4.400			6.600 x 4.840
	Stratex 12	120	120	190 / 120	EN 13501-2	E1, 6.000 x 4.400 E2, 6.600 x 4.840			6.600 x 4.840
Fibershield-H	Protex 1100 A2	120					UL10(d) (Spec ID: 29853)	4.000 x 4.500	30.000 x 5.000
Fibershield-HC	Heliotex EW120	120	60		EN 13501-2	9.400 x 9.400+9.400	UL10(b); UL10(c); UL10(d); UL1784 (Spec ID: 34200)	5.400 x 5.490	10.000 x 10.000 + 10.000
Fibershield-S	Ecotex 1100 A2	120					UL10(b); UL10(c); UL10(d) (Spec ID: 29920)	11.000 x 3.000 (each side)	50.000 x 6.000
	Heliotex EW90	90	90						50.000 x 6.000
Fibershield-F	Protex 1100 2S	120	30		EN 13501-2	11.000 x 8.800			5.000 x 5.000
	Heliotex EW90	90	90		EN 13501-2	11.000 x 3.300			5.000 x 5.000
Fibershield-W	Ecotex 1100 A2	120	20						4.000 x 1.000 / 1.800 x 1.800 / 1.500 x 2.000
	Heliotex EW90	90	90						1.800 x 1.400 / 4.000 x 1.000

Product	Fabric	Protection Target					Classification EN	Max. dimensions CE	Technical standard dimensions
E W I Sa S200									
Fibershield Model Fiberseal	Protex 600 2S				x	x	EN 13501-2	25,2 qm²	8.700 x 6.000
	Protex 1100 2S	120	30		x	x	EN 13501-2	25,2 qm²	8.700 x 6.000
	Heliotex EW90	90	90		x	x	EN 13501-2	25,2 qm²	7.600 x 4.000

FIRE CURTAINS




FIRE CURTAINS




Fibershield®-H

- 1 - Smoke detector
- 2 - Casing
- 3 - Side guide
- 4 - Fabric
- 5 - Closing element
- 6 - Tubular motor
- 7 - Control module**
- 8 - Control with operating unit
- 9 - Manual release



Fibershield™-HC

- 1 - Smoke Detector
- 2 - Casing
- 3 - Side guide
- 4 - Fabric
- 5 - Closing element
- 6 - Tubular motor
- 7 - Control module**
- 8 - Control with operating unit
- 9 - Manual release





Fibershield®-S

- 1 - Smoke detector
- 2 - Casing
- 3 - Side guides
- 4 - Tubular motor
- 5 - Fabric
- 6 - Closing element
- 7 - Coil**
- 8 - Control module
- 9 - Control with operating unit
- 10 - Manual release



SL System length

SMOKE CURTAINS




Supercoil

- 1 - Smoke detector
- 2 - Casing
- 3 - side guides
- 4 - Fixing bracket
- 5 - Fabric
- 6 - Closing element
- 7 - Tubular motor
- 8 - Control module
- 9 - Control with operating unit
- 10 - Manual release
- 11 - Wicket door (optional)



Moducoil



- 1 - Smoke detector
- 2 - Casing
- 3 - Fabric
- 4 - Closing element
- 5 - Tubular motor
- 6 - Control module
- 7 - Control with operating unit
- 8 - Manual release



Stripecoil


- 1 - Smoke detector
- 2 - Casing
- 3 - Side guide
- 4 - Fixing bracket
- 5 - Fabric
- 6 - Closing element
- 7 - Tubular motor
- 8 - Control module
- 9 - Control with operating unit
- 10 - Manual release

SMOKE CURTAINS





Smokeshield-S

- 1 - Smoke detector
- 2 - Casing
- 3 - Side guides
- 4 - Tubular motor
- 5 - Fabric
- 6 - Closing element
- 7 - Coil
- 8 - Control module
- 9 - Control with operating unit
- 10 - Manual release
- SL - System length



Smoke Curtain GX 2.0

- 1 - Aramid cables
- 2 - Magnetic strip
- 3 - Fabric (clear transparent)
- 4 - Housing
- 5 - Switch for re-opening




Fixed smoke apron

- 1 - Befestigungsmodul
- 2 - Gewebe
- 3 - Abschlussleiste
- 4 - Durchdringungsmansc



CONVEYOR SYSTEM CLOSERS

- Automatic conveyor systems are the life line in many companies
- Conveyors insure the continuous flow of materials and products through large building complexes
- The uncontrolled spreading of fire from one location to another must be prevented
- Building segmentation is a must
- The necessary opening in ceilings and walls have to be sealed in the event of fire by an approved system
- Various conveyors solutions have been developed achieving specific fire protection classifications
- A reliable sealing solution for almost every structural situations - subject to site specific requirements



ECClos[®]-FLEX



Conveyor system closure designed as an enclosed, versatile slider



Universal-B


Conveyor system closure designed as an enclosed, versatile slider

CONVEYOR SYSTEM CLOSERS




GCC

Slim, space-saving
conveyor system closure in
element design



Omnicompact


Conveyor system closure
designed as a space saving,
vertical fire protection
stacking door



Collar

Conveyor system closure
as intumescent sealing
system


FIRE & SMOKE CURTAINS



Fire protection elements

Force-actuated systems

FIRE & SMOKE CURTAINS





SOLIDIFY YOUR WORLD SAFELY

MAINTENANCE

AssetPool specializes in asset management, compliance and risk analysis software

Proof that an
asset was
checked

1

Proof of the
time and date
that an asset
was checked

2

Proof of who
the asset was
checked by

3

Proof of the
location when
the asset was
checked

4

Automated Asset Compliance & Verification Software

Unique Asset Onboarding



Stick QR code



Scan QR code



Identify or
create your zones




Identify
asset types



Complete the
selected checklists

MAINTENANCE

Cloud-based Software







PASSENGER ELEVATORS

- Capacity: 450 kg - 2000 kg, accommodating 4-16 passengers.
- Speed: 1.0 m/s - 2.5 m/s, ensuring efficient travel.
- Types: Machine Room or Machine Room Less, depending on building needs.



BED ELEVATORS

- Ideal for: Hospitals, designed for stretchers and medical equipment.
- Capacity: 750 kg or 1000 kg, offering ample space.
- Dimensions: Minimum 1300 mm W x 2300 mm D with 1100 mm doors for easy access.



SERVICE ELEVATORS

- Purpose: Primarily for building staff, transporting goods and heavy materials.
- Size and Speed: Larger and slower than passenger elevators, catering to specific needs.



PANORAMIC ELEVATORS

- Style: Elegant and visually stunning, enhancing building aesthetics.
- Customization: Available in various shapes, sizes, and decorations to match interiors and exteriors.
- Glass walls: Provide breathtaking views of cityscapes or building atriums.



HOME ELEVATORS

- Residential: Designed for private homes, offering convenience and accessibility.
- Capacity: 2-4 persons, serving up to 5 floors.
- Customization: Diverse design options to complement home furnishings.



DUMBWAITERS

- Function: Transport goods and food, ideal for restaurants and kitchens.
- Capacity: 50 kg - 300 kg, handling various loads.
- Speed: 0.25 m/s - 0.4 m/s, ensuring efficient movement.
- Pre-installed components: Simplify installation and operation.




MOVING WALKS

- Application: Ideal for long corridors in malls and hypermarkets.
- Purpose: Transport customers with trolleys between floors.
- Angle inclination: 0-12 degrees, catering to different needs.
- Step width: 800, 1000, or 1200 mm, accommodating various passenger volumes.



ESCALATORS

- Usage: Public and commercial, transporting large groups of people efficiently.
- Applications: Hotels, shopping malls, entertainment facilities, public transportation hubs.
- Angle inclination: 30-35 degrees, balancing comfort and efficiency.
- Step width: 600, 800, or 1000 mm, handling diverse passenger volumes.



Door Models (Automatic)



Stainless Steel

1543



Silver Stainless Steel (drawing)

1509



Stainless Steel

1020



Stainless Steel

Trees




Glass Door

1600



Stainless Steel

1544



Stainless Steel Bronze Doors

Sun Drawing



Stainless Steel

1030




Stainless Steel (Shiny Gold)

1010



Panorama St. steel (Glossy Gold)

1000



Wooden Marbling Dye door

500



Thermal Dye Door

1030

Door Models (Manual)




Coppery

HAS 13



Coppery

HAS 10



White Silver

HAS 11



Standard

HAS STANDARD



RAL

HAS 05



RAL

HAS 01

Cabins



Al-Rawdah Cabin

Side	Copper 1045 - Silver Steel
Corner	Silver
Floor	Marble - Imbradol
Ceiling	0055
Mirror	Longitudinal



Olaya Cabin

Side	Golden Mozaik + Golden Steel
Corner	Golden
Floor	Light Rosa
Ceiling	0081
Mirror	Half Mirror



Elegance Cabin 211

Side	Silver + PVC D94H
Corner	Silver
Floor	400048
Ceiling	0094
Mirror	Half Mirror



Izdehar Cabin

Side	Mozaik - Silver Steel
Corner	Silver
Floor	Marble - Mogali
Ceiling	0037
Mirror	Half Mirror



Atlas Cabin 212

Side	Silver + PVC31P
Corner	Silver
Floor	400052
Ceiling	PVC31P1
Mirror	Half Mirror



Lightning Copper Black Cabin 208

Side	Copper 104
Corner	Silver
Floor	PVC 40
Ceiling	0072
Mirror	Half Mirror



Islamic Black Cabin 272

Side	Islamic Silver Steel + Black Shining
Corner	Black
Floor	501009
Ceiling	0037
Mirror	Half Mirror



Galaxy Cabin 225

Side	Copper AF3-49-2
Corner	Silver
Floor	Marble
Ceiling	0002
Mirror	Longitudinal



Modern Cabin 227

Side	Golden + PVC 11404
Corner	Golden
Floor	40051
Ceiling	PVC
Mirror	Longitudinal



Safah Cabin 250

Side	Silver + PVC D94H
Corner	Silver
Floor	400048
Ceiling	0051
Mirror	Longitudinal



Router Islamic Golden Cabin 145

Side	Router + PVC 145
Corner	Golden
Floor	501006
Ceiling	0037
Mirror	Half Mirror



Al-Saken Cabin 209

Side	Copper 302
Corner	Silver
Floor	Marble
Ceiling	0011
Mirror	Longitudinal



Al-Riyadh Cabin

Side	Golden Steel - PVC97P
Corner	Golden
Floor	Light Marble
Ceiling	PVC
Mirror	Half Mirror



Cristal Golden Cabin 204

Side	Golden + PVC 1835
Corner	Golden
Floor	501010
Ceiling	0008
Mirror	Half Mirror



Sun Golden Cabin 1525

Side	Golden Steel 1525
Corner	Golden
Floor	400049
Ceiling	0075
Mirror	Half Mirror



Arabesque Cabin 205

Side	Router + PVC 1002
Corner	Golden
Floor	Optional
Ceiling	PVC 1002
Mirror	Half Mirror



Copper Cabin 214

Side	Copper 103
Corner	Golden
Floor	501011
Ceiling	0046
Mirror	Half Mirror



Copper Cabin 207

Side	Copper 106
Corner	Silver
Floor	501006
Ceiling	0049
Mirror	Half Mirror



Copper Cabin 210

Side	Copper 302 + 104
Corner	Silver
Floor	501011
Ceiling	0086
Mirror	Half Mirror



Copper Golden Cabin 105

Side	Copper 105
Corner	Golden
Floor	400049
Ceiling	0095
Mirror	Longitudinal



Hilly Cabin 228

Side	3D View + Silver Steel 1609
Corner	Silver
Floor	501007
Ceiling	0090
Mirror	None




Copper Golden Cabin
REA026

Side	Copper - REA026
Corner	Golden
Floor	501221
Ceiling	0042
Mirror	Longitudinal



National Cabin 229

Side	Silver Shining + PVC 955
Corner	Silver
Floor	501009
Ceiling	0098
Mirror	Longitudinal



Greet Cabin 213

Side	Silver PVC14-97P + 13-97P
Corner	Silver
Floor	400051
Ceiling	0091
Mirror	Longitudinal



Blue Cabin 270

Side	Blue Steel + Silver 1609
Corner	Blue
Floor	400049
Ceiling	0074
Mirror	Half Mirror



Schwarovskie Cabin 224

Side	Copper 35 - Black Steel
Corner	Black
Floor	501007
Ceiling	0097
Mirror	Longitudinal




Copper Silver Cabin 1045

Side	Copper 1045
Corner	Silver
Floor	501006
Ceiling	0096
Mirror	Half Mirror + 2 Longitudinal



Royal Golden Cabin 206

Side	Golden + PVC1835
Corner	Golden
Floor	501050
Ceiling	0043
Mirror	Mirror + Golden Frame




Elephant skin Golden Cabin 220

Side	Golden Elephant Skin + Shining
Corner	Golden
Floor	Marble
Ceiling	0004
Mirror	Half Mirror



Islamic Silver Cabin 271

Side	Islamic Silver Steel
Corner	Silver
Floor	Marble
Ceiling	0006
Mirror	Longitudinal




Badia Cabin 222

Side	Silver + PVC 1834
Corner	Silver
Floor	Marble
Ceiling	5 spot
Mirror	Half Mirror



Stainless Steel Cabin 221

Side	Steel 125
Corner	Silver
Floor	Optional
Ceiling	Optional
Mirror	None



Copper Cabin 216

Side	Copper 75
Corner	Silver
Floor	501008
Ceiling	0044
Mirror	Longitudinal Qty. 2 + Half Mirror



Stainless Steel Cabin 101

Side	Steel 101
Corner	Silver
Floor	Optional
Ceiling	0105
Mirror	None



Copper Cabin 218

Side	Copper 102
Corner	Silver
Floor	501010
Ceiling	0049
Mirror	Half Mirror



3D Cabin + 219

Side	Golden Steel 1609 + 3D View
Corner	Golden
Floor	501006
Ceiling	124
Mirror	None



Royal Silver Cabin 215

Side	Copper 075 + PVC028
Corner	Silver
Floor	501007
Ceiling	0051
Mirror	Longitudinal + Frame



Stainless Cabin 126

Side	Steel 126
Corner	Silver
Floor	Optional
Ceiling	Optional
Mirror	None



Customized Cabin

Side	Optional
Corner	Optional
Floor	Optional
Ceiling	Optional
Mirror	Optional

Floor Models



Rubber Floor

501006



Rubber Floor

400051



Rubber Floor

501007



Rubber Floor

501009




Rubber Floor

400048



Rubber Floor

501011



Rubber Floor

501010



Rubber Floor

501008



Rubber Floor

400049




Rubber Floor

400050



Rubber Floor

501220



Rubber Floor

501221

Ceiling




0001



0008



0037




0039




0040



0042



0043



0051



0054










0055



0057



0074



Handrails Models



501039

Silver 60×38 cm

RS9020



501040

Golden 60×38 cm

RS9020



300198

Silver 50×80 cm

5010



300199

Golden 50×80 cm

G5010



501019

Silver 50×80 cm

RS104



501020

Golden 50×80 cm

RS104



501037

Silver 50×80 cm

RS9035



501038

Golden 50×80 cm

RS9035



501023

Silver 80×60 cm

RS9030



501024

Golden 80×60 cm

RS9030



501041

Silver 80×60 cm

RS9024



501042

Golden 80×60 cm

RS9024



501035

Silver 80×60 cm

RS190



501036

Golden 80×60 cm

RS190



501026

Copper 80×60 cm

RS832



501013

Copper 80×60 cm

RS836

Decorations Models



400024



400025



400026



400027



400028



400029



400031



400033



400034



400036



400043-AF3-06-03



400043-AF3-06-06



400044-AF3-49-2



400045-F7-35-3



400107



400107



400251-104



400253-106



400254-107



501050-REA055

Steel Models



400012



400013



400014



400015



400022



400023



400033



400261



501081



501082



501152



3000252

Button Models



SQ-BT-001



SQ-BT-002



SQ-BT-003



SQ-BT-004



SQ-BT-005



SQ-BT-006

HENGFU GROUP
FUJIHD



FJ-Series-007



FJ-Series-008



FJ-Series-009

Machines



Toro

Max. Static Load	4200 KG
Speed Control	Ac2/vvvf
Duty Load	1000 KG
Power	10.3KW
Roping	1:1
Pulley	6*11*520
Oil	✓



Leo

Max. Static Load	3100 KG
Speed Control	Ac2/vvvf
Duty Load	800 KG
Power	7.3KW
Roping	1:1
Pulley	6*11*450
Oil	✓



Leo

Max. Static Load	3100 KG
Speed Control	Ac2
Duty Load	630 KG
Power	5.9KW
Roping	1:1
Pulley	5*11*480
Oil	✓



Leo

Max. Static Load	3000 KG
Speed Control	vvvf
Duty Load	630 KG
Power	7.3KW
Roping	1:1
Pulley	5*11*450
Oil	✓



Leo

Max. Static Load	3000 KG
Speed Control	Ac2
Duty Load	450 KG
Power	5.1KW
Roping	1:1
Pulley	4*11*480
Oil	✓



RH100

Max. Static Load	5000 KG
Speed Control	Ac2/vvvf
Duty Load	1000 KG
Power	13.2KW
Roping	1:1
Pulley	6*11*480
Oil	✓



RH40

Max. Static Load	3000 KG
Speed Control	vvvf
Duty Load	700 KG
Power	8.8KW
Roping	1:1
Pulley	5*11*480
Oil	✓



RH40

Max. Static Load	2500 KG
Speed Control	Ac2/vvvf
Duty Load	480 KG
Power	6.7KW
Roping	1:1
Pulley	4*11*480
Oil	✓



M73

Max. Static Load	2000 KG
Speed Control	Ac2
Duty Load	450 KG
Power	5.5KW
Roping	1:1
Pulley	4*11*480
Oil	✓



M83

Max. Static Load	4000 KG
Speed Control	Ac2
Duty Load	800 KG
Power	10.3KW
Roping	1:1
Pulley	6*11*480
Oil	✓



Penta

Max. Static Load	3000 KG
Speed Control	Ac2
Duty Load	630 KG
Power	7.4KW
Roping	1:1
Pulley	5*11*450
Oil	✓



M93

Max. Static Load	5000 KG
Speed Control	Ac2
Duty Load	1000 KG
Power	13.2KW
Roping	1:1
Pulley	6*11*480
Oil	✓



M93

Max. Static Load	5000 KG
Speed Control	vuvf
Duty Load	1000 KG
Power	9.0KW
Roping	1:1
Pulley	6*11*600
Oil	✓



Max. Static Load	2500 KG
Speed Control	Ac2
Duty Load	450 KG
Power	6.0KW
Roping	1:1
Pulley	4*11*480
Oil	✓



Max. Static Load	2900 KG
Speed Control	Ac2
Duty Load	630 KG
Power	7.4KW
Roping	1:1
Pulley	5*11*480
Oil	✓



Max. Static Load	3300 KG
Speed Control	Ac2
Duty Load	630 KG
Power	10.0KW
Roping	1:1
Pulley	5*11*480
Oil	✓



Engine Type	Gearless
Speed	1m/s
Speed Control	vuvf
Duty Load	1200 KG
Power	9.0KW
Roping	2:1
Pulley	8*9*320
Oil	✓





ZAtop

Engine	190-23
Engine type	Gearless German
Speed	1m/s
Speed Control	vvvf
Duty Load	1000 KG
Power	6.7KW
Roping	2:1



ZAtop

Engine	190-15
Engine type	Gearless German
Speed	1m/s
Speed Control	vvvf
Duty Load	6300 KG
Power	4.4KW
Roping	2:1



W140

Max. Static Load	3430 KG
Speed Control	Ac2
Duty Load	630 KG
Power	6.7KW
Roping	1:1
Pulley	5*11*450
Oil	✓



RF800

Engine type	Food machine
Speed	0.29m/s
Load	195 KG
Power	4.4KW
Roping	DRUM



RF500

Engine type	Food machine
Speed	0.29m/s
Load	155 KG
Power	0,75KW
Roping	DRUM

Spare Parts



GUIDE RAIL



GUIDE RAIL



GUIDE RAIL



GUIDE RAIL



GUIDE RAIL



GUIDE SHOES



Rope Fastener



Pulley



Retiring Cams



Inspection Box



Buffers



Zergina



Wire Rope



Rope Steel



Photocells



Electronic Card



Overspeed Governor



Lubricator



Limit Switch



Sliding Guide Shoe



Cord Holder • Rubber



Magnet Holder • L



Sliding Guide Shoe



Schindler Weight Chair



Cables



Door Lock



Weight Sensor



Guide Rails Accessories

Controllers



Viga Card



Viga Card



Emergency Controller



Controllers



Controller



Controller



Controller



Controllers



Gearless Controller



VVVF • VDL200



VVVF • TKV v20



ADL300 Series



Controller



Gearless Controller

Buttons & Display



LCD Graphics Indicator



LED Dotmatrix Indicator



ASB LCD Indicator



ASB Series



AV Intercom



MD Buttons Series • A



MD Buttons Series • B



MD Buttons Series • C



AK 300 LCD



AK 300 Digital



AK 300 Dotmatrix



AK 300 Digital



AK 120 Series



AK 150 Series



AK 200 Series



AK 210 Series



AK 500 Series



AK 600 Series



Super Mirror Series



Gold Mirror Series



FJ-C01 Series




FJ-C03 Series



FJ-C06 Series

Elevator Towers



Elevator Towers

Implementation steel towers installation work
for elevators without engine room (gearless)



PROJECTS REFERENCES

- Bin Hamran Commercial Center
- MBC Studios
- King Faisal Naval Base
- King Abdullah Air Force Commander
- Land Mark Company
- Ministry of Health
- French Saudi Bank
- Al Qalzam Al Mutamayza Seafood Company
- Saudi Oger Co. Ltd.
- Hall of the Queens
- Palace of the orchards
- Release of the farmer grand hall
- Advanced Rehabilitation Center Dara
- Elite Square Center
- Saad Al Ajlan and Brothers Center
- Sultan Administrative and Commercial Center
- Agricultural Bank
- International Skills Development Company
- Touches Group Limited
- Dyar Inn Hotel
- Royal Plaza Center
- Hyatt Hira Hotel
- Lafontaine refuted
- Dar Al Qalam Schools
- Riyadh Schools
- Al Anjal Schools
- Dhikr Schools
- ACCOR SUPPORT SERVICES
- Aspecterm Hotel
- Civil Defense
- Lighthouse Beach Market
- Nojoud Center
- Salama Center
- Hospital Construction Company
- Toyota Company
- Juffali Company
- Rania Center
- Jewelery Center
- Al - Basateen Sweetener Market
- Ascot Tahlia Hotel
- Ascot Sari Hotel
- Flamingo



www.promec.me
info@promec.me



Al Maadi Center, Block C
Rouweis, Al Andalos St.
Jeddah - KSA
P.O. Box: 43138 KSA 21561
Tel & Fax: +966 50 145 5553